



Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin







Local Trends and Outlook

Historical Trends - for Deniliquin




Local Trends and Outlook

Historical Trends - for Deniliquin




Projected trends for local area

- Deniliquin



Projected trends for local area


- Deniliquin



Projected trends for local area

- Deniliquin


Risk of high temps during rice flowering – defined as $> 41^{\circ}\text{C}$
(35°C dangerous temp + 6°C canopy cooling)



Projected trends for local area


- Deniliquin

Reduced risk of low temperature damage (ie
encountering $\leq 15^{\circ}\text{C}$ at microspore)



Projected trends for local area


- Deniliquin



Projected trends for local area

- Deniliquin


Average Rainfall in rice-growing season....



Projected trends for local area


- Deniliquin

Average Rainfall in wheat-growing season....



Projected trends for local area

- Deniliquin



Projected trends for local area

- Deniliquin

